# ENNIKE.

## Town of Henniker, New Hampshire

# REQUEST FOR BIDS

February 14, 2022

ACCEPTANCE DUE DATE: March 8, 2022 9:00 a.m.

ACCEPTANCE PLACE Henniker Town Hall

18 Depot Hill Road

Henniker, NH 03242

Sealed Envelops Must be Marked:

Town of Henniker – Ford F550 Pickup Truck Bid

Bid Specifications and details are available:

Town of Henniker, 18 Depot Hill Road

Monday – Friday, 8:00 am - 4:00 pm

Town of Henniker Website: www.henniker.org

Requests for information related to this request should be directed to:

Highway Superintendent – Leo Aucion Henniker, NH Highway Department (603) 428 - 7200

# TOWN OF HENNIKER HIGHWAY DEPARTMENT 18 DEPOT HILL ROAD HENNIKER, NH 03242

### I. NOTICE TO BIDDERS

Sealed bids will be received at the Town Hall, 18 Depot Hill Rd, Henniker New Hampshire, until 9:00 AM on March 8, 2022 for furnishing When bids will be opened and read in public, bid price must remain valid for 60 days after opened:

One (1) Ford F550 4WD Regular Cab and Chassis

#### II. INVITATION TO BID

Sealed bids, subject to the condition as shown herein, are requested. The bid price shall include any charges for freight, deliver, containers, packaging, ect. Bids must be submitted in a SEALED envelope plainly marked:

**SEALED BID** – Town of Henniker – Ford F550 Pickup Truck Bid

#### III. <u>INSTRUCTION TO BIDDERS</u>

- 1. Proposals shall be typewritten or written in ink on your letterhead. Officials of corporations shall designate their official title; partners or sole owners shall so state, giving the names of all interested parties. All corrections or erasures shall be initialed by the person signing the bid.
- 2. A bidder shall not stipulate in his proposal any conditions not contained in the specifications. If any specifications are found to be discriminatory by nature, comparable equipment will be considered. All comparable equipment must be clearly identified on the proposal. Any proposal which fails to comply with the instructions may be rejected forthwith.
- 3. Samples or descriptive matter may be filed with the bid.
- 4. In submitting the proposals, the vendor agrees that acceptable of any or all bids by the Town of Henniker within reasonable time or period constitutes a contract. No delivery shall become due or be accepted unless a purchase order shall first have been issued by the Town Administrator.
- 5. The Town reserved the right to reject any ad all bids for any or all items covered in the bid request, to waive informalities or defects in bids or to accept such bids as it shall deem to be in the best interest of the Town to do so. Bidders will be considered for award based on bid price, performance, record, experience, organization and full economic analysis.

- 6. Discounts will be figured from the date of delivery and acceptance of the articles, or in the case of incorrect invoice, from the date of receipt of corrected invoice, if this is subsequent to delivery and acceptance.
- 7. In determining the lowest responsible bid, the Town will consider all acceptable bids on a basis of net price to be paid after deduction of the discount specified by the bids. The award will be based on the total of the truck and consideration of schedule provided by the bidder. A bid may be excluded if the schedule is not suitable to meet the Town's needs.
- 8. All goods shall remain the property of the seller until delivered to an accepted by the Town.
- 9. The Dealership shall be preferable within a 75 mile radius of Henniker, New Hampshire.
- 10. The Town will consider either 2022 (new) models in stock or 2023 (new) models. In either event, the proposer shall provide deliver dates for review. The Town reserves the right to purchase form either model year based on the best value to the Town.
- 11. The Town would request two separate bids. The first bid is for the price of just the truck with the below specifications. The second bid will add and install a Fisher 9.6 Stainless Steel VX2 V-Plow with LED lights, 8-foot 2.5-yard Poly Sander Installed, 8 Foot stainless steel multi season body minimum specs. listed below

#### **MINIMUM SPECIFICATIONS Cab and Chassis:**

2022 or 2023 Model Year Ford F550 XLT Regular Cab and Chassis 145

inch wheelbase

Diesel Package

Suspension Package, 68M payload plus Upgrade

Emissions, Federal Requirements

Engine, 6.7-liter V-8 engine

Engine block heater

Transmission, 10-speed Automatic with PTO provision

Utility light system

GVW, 19,500lbs

Wheels – 19.5" Argent-Painted Steel (SRW)

Tires, LT225/70Rx19.5E OWL A/T (4) (spare tire – A/T BSW) (SRW)

Seats, Front 40/20/40 split-bench 3 passenger

Cloth Seat Trim

Audio System, AM/FM Stereo

XL

X8L 4.88 Limited Slip rear axle

Battery, 12-volt; 750-cca/332-amp Alternator

Trailer Brake Controller, Integrated

Chrome tubular 6" Step Bars

Provision for Cab Roof-mounted Lamp/Beacon

Power Windows/Power Locks

Floor Coverings, Black Rubberized mats

Special Paint, Solid Race Red

Air Condition

Rear Vision Camera

Warranty Info:

Bumper to Bumper – 3 years/36,000 miles

Powertrain – 5 years/60,000 miles

Corrosion – 5 years/Unlimited Miles

Roadside Assistance – 5 years/60,000 Miles

Diesel 5 years/100,000 Miles

## MINIMUM SPECIFICATIONS Body and Plow:

- #304 Stainless Steel 8-foot All Season dump body
  - o 3/16" floor, 18" high sides, 24" quick release manual tailgate, front mount hoist, 3.23 cubic yard capacity, ½ cab shield, shovel holder, ¾" pintle plate, Reese receiver, 2-5/16 combination ball and pintle hook, D- rings and electrical plug, 24"x18"x18" stainless steel tool box, poly wheel cover over the rear wheels, two sets of mud flaps with anti-sails, electric load cover
- Lighting System to include in-cab body up alarm/light, two cab shield LED strobe lights, two LED strobes mounted in the body rear corner post, LED stop/tail/turns, and LED work lights
- Hydraulic system to include PTO transmission mounted pump, 2 section Walvoil valve, Walvoil cable controls, Muncie 300A electric spreader control, Stainless steel hydraulic piping to the front, rear and under body, hydraulic couplers for all removable attachments such as the spinner, and a 30 gallon frame mounted oil reservoir with site level gauge, temperature gauge, shut off and filter assembly.
- Fisher 9'6" XV2 plow stainless installed
- Fisher 8' 2.5 yard poly Sander installed